

TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F 電話:+886-3-456-6101 傳真:+886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 1 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 1 / 15

Projected Capacitive Touch Panel Product Specification

對象客戶			
Customer			
產品簡述	18.5 INCH PROJECTED CAPACITIVE TOUC	TH DANKT.	
Product Description	10.5 INCHI ROJECTED CAIACITTE TOO	JA PAIVEL	
規格書適用級別 規格書適用級別	☐ Preliminary Reference Only.		
Application Level	☐ Sample Used Only.	\wedge	
	Mass-Production Used.		
申請日期	2013-04-29	\wedge	
Apply Date	AULU-UT-AZ		
規格書版次別	2.0		
Spec. Version	2.0		
產品型號	MT9D185255109		
Part Number	N117D103233107		
	客户確認 Approved By Customer		
客戶料號			
Customer Part No.			
審核人員			
Checked By			
核准人員			
Approved By	<u> </u>		
核准窗口	審核窗口	制定窗口	
Approved By	Checked By	Prepared By	
David Mi	Milton Hong	Debby Chen	




TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

雷託	:	+886-3-456-6101	傅直:	+886-3-456-6102
电加	•	T010-2-420-0101	1 7 1	• T000-7-470-010Z

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 2 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 2 / 15

目 錄

TABLE OF CONTENTS





8F., No.445, Sec. 2, Zhongbei Rd., Zhongli City, Taoyuan County 32087, Taiwan (R.O.C.)
TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中地市北路二段445號8F

電話	+886-3-456-6101 傳真:+886-3-45	6-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 3 / 15
Product Planning Dept.	Product Specifications	Total Page	Fage 3 / 13

修正履歷 REVISION HISTORY

項次	版次	修正日期	摘要敘述	頁數
Item	Version	on Date	Description	Page
1	1.0	2011-10-21	1. Initial Release.	15
2	2.0	2013-04-29	1. Updated logo.	1~15



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話: +886-3-456-6101 傳真: +886-3-456-6102

訂單位	文件名稱	文件編號		
Department	Subject	Document No.		
產品企劃部	產品規格書	總頁數	Page 4 / 15	

Total Page

1. 一般說明 GENERAL DESCRIPTION

1.1 產品摘要 OVERVIEW

Product Planning Dept

這是一款採用 USB 介面並支援 WIN7 作業系統已達到可以兩指觸控作業的投射式電容觸控面板。

Product Specifications

It is a Projected Capacitive Touch Panel with USB interface to support and compatible with WIN7 O/S system for multi-touch application.

1.2 產品特徵 FEATURES

項次	規格
有 人	With the second
ITEMS	SPECIFICATIONS
面板尺寸	18.5 inch
Panel Size	16.5 IICII
產品結構	Glass/Glass (ITO glass with Chemical enhanced)
Structures	Glass/Glass (110 glass with Chemical chilaneed)
總厚度值	$2.4 \pm 0.15 \text{ mm}$
Total Thickness	(Cover_1.1 mm & Sensor_1.1 mm)
作業條件	-10°C ~ +60°C at Min 20% to Max 90% RH
Operation Conditions	100° × 100° at Will 20% to Wax 90% KII
儲存條件	-15°C ~ +65°C at Min 10% to Max 90% RH
Storage Conditions	15 6 7 +05 C at Will 10% to Wax 90% KII
静電防護等級	Contact: ±4KV, 3times/1point, 1time/1sec, Total 3points.
ElectroStatic Discharge (Non-Operation)	Air: ±8KV, 3times/1point, 1time/1sec, Total 3points.

備註1:為確保觸控模組可有效發揮其功能,請務必於作業時將控制器作有效的接地動作。

Note 1: In order to make a touch panel operate normally, please make sure that the host device is grounded.

備註 2:觸控面板必須藉由雙面膠帶或其他具有黏性之材料將其與 TFT-LCD 模組作組裝貼合作業,並將觸控面板的控制器反折固定於 TFT-LCD 模組的下鐵框或其他系統機構件上並加以接地;當執行抗靜電防護測試時,允收標準為當沒有外在靜電衝擊時,觸控面板不可有功能性與外觀性的失效或損傷;但是當有靜電衝擊時,若觸控面板有跳動等非規則性之功能性變化時,這種現象是被允許與接受的。

Note 2: The touch panel must be assembled with LCD panel by VHB or other materials, the control board also be fixed on LCM bezel or other mechanical parts of the system and then be grounded; In ESD test, the function and appearance should be available when electrostatic charge. It is acceptable that the display flicker when electrostatic discharge.

備註3:假設觸控模組沒有被有效的執行接地動作時,觸控面板可能會有功能性受損或不穩定等現象發生。

Note 3: The touch panel may be damaged functionally or unstable if the panel does not be grounded through your system to earth.

備註 4:為確保觸控模組可有效發揮其功能,電源供應器必須符合 IEC 62684 規範。

Note4: In order to make a touch panel operate normally, power supply or power adapter have to conform to IEC 62684.



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

odcilling torriorrow, today		電話・+	880-3-430-0101
訂單位	文件名稱	文件編號	
D	0.11	D (37	

訂単位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 5 / 15
Product Planning Dept.	Product Specifications	Total Page	1 age 3 / 13

1.3 通用規格 GENERAL SPECIFICATIONS

項次	規格	備註
ITEMS	SPECIFICATIONS	NOTE
輸入方式	Finger or Cap. Stylus	
Input Method	ringer of Cap. Stylus	
精確度	Within 2.5mm each target	
Accuracy	& 10% Jitter limit on moving	Based on WIN7 definition
解析度	25mi (Min.)	ppi(Pixel per inch)
Resolution	25ppi (Min.)	
玻璃穿透率	90 ± 2%	
Transparency	90 ± 2%	By BYK-Gardner at 550nm.
玻璃霧度值	3% (Maximum)	By B i K-Gaither at 550iiii.
Haze	5% (Waxiiiuiii)	

備註1:上表中所列之光學特性數值的量測是採用檢測儀器(BYK-Gardner)在波長550nm 的條件測得。

Note 1: The optical characteristics listed as above are measured by BYK-Gardner instrument at 550nm wavelength.

1.4 觸控面板規格 TOUCH PANEL SPECIFICATION

項次 ITEMS	規格 SPECIFICATIONS	
Cover Lens 外觀尺寸 Cover Lens O.D.	446.05 mm * 271.18 mm ± 0.2 mm	
Sensor Glass 外觀尺寸 Sensor Glass O.D.	434.05 mm * 259.18 mm ± 0.30 mm	
Cover Lens 可視區 C/L Visual Area	410.8 mm * 231.4 mm ± 0.30 mm	
FPC/COF 厚度值 FPC/COF Thickness	0.3 mm ± 0.05 mm	
軟板長度值 Tail L <mark>e</mark> ngth	X axis → 180.0 mm ± 1.0 mm * 34.5 mm ± 0.2 mm (Max. dimensions) Y axis → 150.0 mm ± 1.0 mm * 20.5 mm ± 0.2 mm (Max. dimensions)	

<mark>備註 1:觸控面板</mark>的玻璃四周與兩側均執行 R 角與 C 角的加工,相關加工規格請參閱圖面尺寸規格的標示與定義。

Note 1: All of the corners and edges of the glass that have chamfer process by CNC machines and all dimensions and tolerances will be defined on the drawing of the touch panel.



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話:	+886-3-456-6101	傳真:	+886-3-456-6102

訂單位	文件名稱	文件編號	
Department	epartment Subject		
產品企劃部	產品規格書	總頁數	Page 6 / 15
Product Planning Dept.	Product Specifications	Total Page	1 age 0 / 13


2. 可靠度測試報告與規範 RELIABILITY TEST REPORT AND SPECIFICATIONS

2.1 機械特性 MECHANICAL CHARACTERISTICS

項次		測試條件	允收條件	
	ITEMS	CONDITIONS	PASS CRITERIA	
	落球測試	$227g \pm 2g$	No damage at each cycle drop 5points and	
	Ball Drop Test	40cm	each point drop 1time only	
面板部分	硬度測試	Pencil: 7H	Harlana S 7H	
Panel	Hardness	Pressure: 0.5N/45°	Hardness ≥ 7H	
	翹曲度	Des Come	Warpage ≤ Length * 0.1%	
	Warpage	By Cage	Unit: mm	
FPC/COF	剝離測試方向	90°		
可靠度測試	Direction of peeling off	90	Study other 500 of Journ	
FPC/COF	拉力測試速度	50	Strength ≥ 500gf/cm	
Reliability	Speed of Pulling out	50mm/min		

備註1:鋼球落下測試示意圖如下附圖所示。


Note 1: The ball drop test illustration is showed as follow.



備註 2:玻璃硬度測試依循 JIS K-5400 系列標準規範手法;相關測試示意圖如下附圖所示。

Note 2: The hardness test follows up the JIS K-5400 serials industry standard and the test illustration is showed as below.





備註 3:FPC/COF 的軟板剝離強度測試依循 ASTM D903/ASTM D3807 系列標準規範手法;測試示意圖如下附圖所示。


Note 3: The FPC/COF peeling strength test illustration is showed as below, and the test method follows the standard of ASTM D903 / ASTM D3807.



8F., No.445, Sec. 2, Zhongbei Rd., Zhongli City, Taoyuan County 32087, Taiwan (R.O.C.) TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

	OTOO, DUPLING, 1 X	T-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
電話:	+886-3-456-6101	傳真:+886-3-456-6102	

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Daga 7 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 7 / 15



2.2 可靠度規格 RELIABILITY SPECIFICATIONS

環境測試條件列表如下所示。

Environment test conditions are listed as follows.

項次	規格
ITEMS	SPECIFICATIONS
高溫高濕測試	The product should be allowed to stand at 60±2°C with 90% RH for 240hrs un-load
Temperature Cycling	condition and allowed to be normalized for 4hrs.
冷熱衝擊測試	The product should be allowed to stand at -40°C to +85°C for 30min/cycle with
Thermal Shock	totally 50 cycles and allowed to be normalized for 4hrs.
高溫儲存測試	The sample should be allowed to stand at +85°C for 240hrs un-load condition and
High Temp. Storage	allowed to be normalized for 4hrs.
低溫儲存測試	The sample should be allowed to stand at -40°C for 240hrs un-load condition and
Low Temp. Storage	allowed to be normalized for 4hrs.



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話: +886-3-456-610	01 傳真: +886-3-456-6102
HEIGHT . TOOOL2-420-014	71 14-74 . LOOD-2-420-0107

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Dags 9 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 8 / 15

3. 外觀檢驗 APPEARANCE AND COSMETIC INSPECTION

3.1 檢驗環境參數 INSPECTION ENVIRONMENT CONDITIONS

I. 觸控面板的目視檢查作業必須在至少無塵室等級為 10,000 的環境下執行。

The touch panel has to be inspected at a clean room of at least class 10,000.

Ⅱ. 觸控面板的目視檢查環境設定值必須被控制溫度在 15℃到 25℃以及濕度在 25%到 75%之間。

The visual inspection environment should be set at 15 to 25 degree C and 25% to 75% humidity.

III. 觸控面板的外觀目視檢查之環境照度須設定在800~1000Lux的日光燈光源下。

The illumination of the appearance inspection should be 800~1000Lux with fluorescent reflection light source.

IV. 觸控面板的目視檢查須在人眼裸視基礎下,並且觸控面板到人眼的目檢距離須至少超過 35 公分。

The visual inspection should be kept the distance 35cm or more between the touch panel and the raw eyes of inspectors.

V. 觸控面板的裸眼目視檢查角度須以 45 度正負 10 度的角度作業。

The viewing angle should be 45±10 degree with an inspector's raw eyes when visual inspection.

VI. 外觀目視檢查時間建議為25秒正負5秒鐘的時間。


Visual inspection time is 25±5 second per one's that we are recommended.

VII. 髒污不良缺陷依據 25%灰度之點規進行判定。

The dirty defect should be judged with the 25% of contrast film in the point rule.

VIII. 目視檢查示意圖如下附圖所示。

The visual inspection illustration is showed as below.





TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話: +886-3-456-6101 傳真: +886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 0 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 9 / 15

3.2 目視檢驗規範 COSMETIC SPECIFICATIONS

不良的分類共分為2種,分別是主要不良項目與次要不良項目;定義分別如下。

Defects are classified two types, one is major and the other is minor according to the defect specification, and they were definition as follows.

檢驗方法:依據 ANSI/ASQC C1.4-2003 一般檢驗規範等級二的抽樣標準比例。

Test method: According to ANSI/ASQC C1.4-2003. General Inspection Level II take a single time.

I. 主要不良項目 Major defect

任何可能導致有功能性失效或降低堪用率的不良原因;例如電性失效或外觀受損等。

Any defect may result in functional fail or reduce the usability such as electrical failure, deformation etc.

II. 次要不良項目 Minor defect

不會導致堪用率降低的不良原因;例如線性不良或點狀不良等等現象。

It doesn't reduce the usability such as line defect, dot defect etc.

Ⅲ. 不良項目的抽樣判定等級標準依循如下:

The defects classify of AQL as following:

Major defect : AQL=0.65. Minor defect : AQL=2.5. Total defects : AQL=2.5.

※ 外觀不良定義與規範※

COSMETIC DEFECT DEFENITION AND SPECIFICTIONS
 **

外觀不良定義		規格	允收條件
COSMETIC DEFE	ECT DEFENITION	SPECIFICATIONS	PASS CRIRERA
		$W \leq 0.05$ mm	Ignore
Linear Defects	刮傷/擦痕	0.05 mm $<$ W \leq 0.2mm and L \leq 15mm	N≦5
(刮傷/擦痕/纖維 /毛絮/雜質)	Scratch/Scrub	W>0.2mm or L>15mm	Not Allowed
(Scratch/Scrub/	纷纷 / 红 女口/苏化尼云	W≦0.1mm	Ignore
Fiber/Particle)	纖維/毛絮/雜質 Fiber/Particle	0.1 mm $<$ W \leq 0.3mm and L \leq 10mm	$N \leq 5$ and Distance ≥ 5 mm
	1 loci/1 article	W>0.3mm or L>10mm	Not Allowed



8F., No.445, Sec. 2, Zhongbei Rd., Zhongli City, Taoyuan County 32087, Taiwan (R.O.C.) TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F 電話:+886-3-456-6101 傳真:+886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 10 / 15
Product Planning Dept.	Product Specifications	Total Page	rage 10 / 13

外觀不	良定義	規格	允收條件
COSMETIC DEFECT DEFENITION		SPECIFICATIONS	PASS CRIRERA
點狀不良		D≦0.1mm	Ignore
Dot Defects	可視區	0.1 mm $<$ D \leq 0.4 mm	N≦5 and Pitch≥5mm
(氣泡/雜質/白班	Active Area	D>0.4mm	Not Allowed
黑斑/凹洞/刻痕		D≦0.2mm	Ignore
槽口)	印刷區域	0.2 mm $<$ D \leq 0.4 mm	N≦4 \ Pitch≥5mm
(Bubble/Fiber/Particle /Spot/Dent/Nick)	Printing Area	D>0.4mm	Not Allowed
印刷不良	針孔 Pine Hole	$D \le 0.3 \text{mm} \cdot N \le 4 \cdot \text{Pitch} \ge 2 \text{ mm}$	Ignore
Printing Defects	漏光	Peak to Peak ≤ 0.2mm	Border Area Acceptable
	Light Leakage	Peak to Peak≤0.1mm	Logo/icon Area Acceptable
	Corner Defect	$X \le 3.0 \text{mm} \& Y \le 3.0 \text{mm}$ If $Z \le T/2 \text{mm}$	Be Allowed on Cover Glass
破損不良	× × ×	$X \le 3.0 \text{mm} & Y \le 3.0 \text{mm}$ If $Z \le T/2 \text{mm}$	Be Allowed on Sensor Glass
Breakage Defects	Edge Defect	X≦3.0mm & Y≦ <mark>3</mark> .0mm	N≤3/Edges · Distance≥20mm
	x	If Z <mark>≦T/2m</mark> m	Be Allowed on Cover Glass
		$X \le 3.0 \text{mm} & Y \le 3.0 \text{mm}$	$N \leq 3/Edges \cdot Distance \geq 10mm$
		If Z≤T/2mm	Be Allowed on Sensor Glass
外鸛	造型	All dimensions by procedures via	All dimensions and tolerances must be
ID App	earance	mechanical must be followed by	followed by customer's drawing
		customer's drawing definition	definition.
Color Shift		De fallamed by anything of AT 100.	Be followed by "PANTONE" no. or checked by golden sample if have
		Be followed by customer's AI drawing and "PANTONE" no. definition all of	argued.
IR 孔印刷		the marks	Be followed by customer spec or
IR Hole Printing			checked by golden sample



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話: +886-3-456-6101 傳真: +886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 11 / 15
Product Planning Dept.	Product Specifications	Total Page	Fage 11 / 13

備註 1:"L"表示長度,"W"表示寬度,"N"表示數量,"Pitch"代表兩個不良標地物之間的距離。

Note 1: "L" means Length, "W" for Width, "N" for Quantity and "Pitch" for the distance between both defects.

備註 2:直徑 D表示為 X 軸與 Y 軸的長度總和除以 2 的結果;點狀不良的外型示意圖如下附圖所示。

Note 2: D=(X+Y)/2, and dot sharp diagram showed as below.

備註 3: "L"表示長度,"D"表示寬度;線狀不良的外型示意圖如下附圖所示。

Note 3: "L" means Length, "D" for Width, and linear sharp illustration is showed as below.

備註 4: 若有一個既不像是點狀不良亦或是也不像線狀不良的灰塵或髒汙時,請依下面方式作判斷解析:

Note 4: If the shape of particles is not dot or line,

<A> 取一片透明且有刻度的尺規,並將尺規放置在該不良標地物上方,並優先採用點狀不良的檢驗手法判斷。


<A> Put Ruler on the particle and inspect it by the inspection method of the particle.

 假設不良標的物的尺寸大小超過此份規格書中現有點狀不良的規範時,則請改以此規格書中的線狀不良的規範作判斷。

 Use the inspection method of the linear particle to inspect the particle, if the size of the particle exceeds the range of the dot particle.

備註5:不良標的物的尺寸的檢測請採用尺規作為量測的依據標準。

Note 5: The size of the defects should be measured by Ruler.





8F., No.445, Sec. 2, Zhongbei Rd., Zhongli City, Taoyuan County 32087, Taiwan (R.O.C.) TEL: +886-3-456-6101 FAX: +886-3-456-6102

TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F 電話:+886-3-456-6101 傳真:+886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 12 / 15
Product Planning Dept.	Product Specifications	Total Page	1 age 12 / 13

4. 預防措施 PRECAUTIONS

項目	說明					
ITEM	EXPLANATION					
	1. 觸控面板必須被儲存放置在一如規格書所建議的有從事環境溫度與濕度控制的區域內。					
At 右	A touch panel should be stored under the environment temperature and humidity controlled as					
儲存	suggested.					
Storage	2. 不可將觸控面板直接曝曬在陽光下。					
	Do not store a touch panel in direct sunlight.					
	1. 觸控面板要自包裝箱中取出時,請務必特別注意該包裝箱外的紅色箭頭符號是否朝上。					
	Unpack the carton with the printed red arrow pointing up.					
取放	2. 無論任何時候都必須以拿取觸控面板本體為優先。					
Handling	Hold a touch panel body instead of the FPC/COF all the time.					
Handing	3. 當 Sensor Glass 的保護膜被移除而準備從事組裝作業時,務必要避免 Sensor Glass 受到外在因素					
	的汙染。					
	Avoid that the surface of the sensor glass is polluted after removing the protect film when assembly.					
	1. 若要清潔觸控面板,請盡量避免使用諸如強酸或強鹼之類的任何化學溶劑。					
清潔	Prevent using any kind of the chemical solvent, acidic or alkali solution when cleaning.					
Cleaning	2. 若要清潔觸控面板,我們建議使用中性的清潔劑或異丙醇和酒精等等。					
	Neutral detergent or is <mark>op</mark> ropyl alc <mark>o</mark> hol was su <mark>gge</mark> sted if the panel is cleaned.					
	1. 觸控面板在組裝時,請不要過度施力導致玻璃表面發生諸如變形或扭曲等形變現象的發生。					
	Do not apply rough force such as bending or twisting to the touch panel during assembly.					
	2. 對於 FPC 或 COF 的作業時,過度的拉力或繃緊作業是必須被禁止與避免的。					
組裝	Excessive force or strain to the panel or FPC/COF is prohibited.					
Assembly	3. 請在觸控面板與 TFT-LCD 面板的中間間隙處選用適合的雙面膠帶或是具有黏性的泡棉加以阻					
	絕外在水份與汙染源的干擾。					
_	Past VHB tape or sponge with adhesive on the gap between a touch panel and a LCD module to					
	segregate water and dust contamination.					
	1. 觸控面板必須在穩定的環境狀況下被使用,環境狀態的突然急遽變化有可能會導致觸控面板的					
操作	機能性失效的發生。					
Operation	The panel must be operated in a steady environment, the abrupt change of the environment conditions					
	may cause the malfunction of the panel.					



8F., No.445, Sec. 2, Zhongbei Rd., Zhongli City, Taoyuan County 32087, Taiwan (R.O.C.) TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F 電話:+886-3-456-6101 傳真:+886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 13 / 15
Product Planning Dept.	Product Specifications	Total Page	Fage 13 / 13

項目	說明			
ITEM	EXPLANATION			
	2. 為確保觸控面板的功能得以穩定有效的發揮呈現,請務必確認系統的接地迴路與電源供應器的			
	接地迴路被正確的銜接與執行(與大地作共地的接地迴路是最佳的設計)。			
	In order to guarantee all functions of a touch panel stable, please make sure that system is grounded or			
操作	a power adapter is connected correctly to ground loop (Connection to earth ground is suggested).			
Operation	3. 觸控面板在操作的過程中,請勿任意插拔觸控面板與系統端的界面連接器。			
	Do not pull the interface connector in or out while the touch panel is operating.			
	4. 觸控面板在操作的過程中,請務必禁止與避免使用任何尖銳或硬質物體去敲擊碰觸。			
	Any sharp edged or hard objects are interdiction to hitting when touch panel operation.			
	1. 本產品滿足 ROHS 的規範要求。			
	The product meets the specification requirement of the ROHS standard criteria.			
	2. 在正常的操作條件基礎下提供 12 個月的觸控面板保固服務。			
	Vendor will provide 12 months product guarantee under normal operation conditions.			
	3. 假設觸控面板將被使用於諸如相對高溫,高濕度,高海拔或是長時間操作等較為嚴峻的操作條			
	件時,中心的建議請事先諮詢產品應用工程人員並取得相關意見;否則關於產品的可靠度與功			
	能是無法被有效的確保。			
	If the panel will be used in extreme conditions such as high temperature, high humidity, high altitude			
	or long operation time etc., It is strongly recommended to contact Vendor for field application			
	engineer's advice. Otherwise, Its reliability and function may not be guaranteed.			
其他	4. 在觸控模組的單體下,請禁止與避免有任何高電壓或靜電衝擊等外在因素被加諸在模組上。			
Others	Avoid high voltage and/or static charge being applied to touch module.			
	5. 保持觸控面板的潔淨度並避免任何具有黏性的物質粘附在觸控面板的表面上。			
	Keep the panel surface clean. Prevent any kind of adhesive applied on the surface.			
	6. 本產品僅支援兩點觸控,超過兩指同時觸控時將無法動作。			
_	It is support two fingers touch only and it would be malfunction when over two fingers touch together.			
	7. 當操作觸控面板時,應避免有金屬或導電物質放置在面板上。			
	To avoid the metal or any kind of the electric conduction materials on the touch screen when you are			
	handling. 8 網掀石托具藉由人雕拉網攝作,艾左任何非道雕述應用於这石托時,可能会山現網掀石托約機			
	8. 觸控面板是藉由人體接觸操作,若有任何非導體被應用於該面板時,可能會出現觸控面板的機 能失效。			
	ル大双。 Any kind of the non-electric conductor may cause the malfunction when that applied due to touch			
	screen is sensing by human body.			



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F 電話:+886-3-456-6101 傳真:+886-3-456-6102

訂單位 文件名稱		文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Dece 14 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 14 / 15

5. 標籤釋義 PRODUCT LABEL EXPLANATION

5.1 條碼定義 BARCODE DEFINITION

5.1.1 觸控面板料號編碼原則 Coding rule for touch screen part number used

Serial ID: <u>AA-B-C-DDD-E-F-G-H-II</u>

CODE	MEANING	DESCRIPTION	
AA	MT	Vendor internal use for account code	
В	Number	Vendor internal use for material level classification	
С	Letter	Vendor internal use for sub-category definition	
DDD	Number	Vendor internal use for touch screen size definition	
E	Number & Letter	Vendor internal use for P-CAP double level only	
F	Number	Vendor internal use for cover lens thickness definition	
G	Number	Vendor internal use for touch sensor thickness definition	
Н	Number & Letter	Vendor internal use for cover lens color/hole definition	
II	Number	Vendor internal use for sequence code of product	

5.1.2 生產序號編碼原則 Coding rule for manufacturing serial used

Serial ID: A-B-C-D-E-FFFFF-G-H-II-JJJJ

CODE	MEANING	DESCRIPTION			
Α	Letter	Vendor internal use for production level classification			
В	Letter	Vendor internal use for manufacture side classification			
С	By year	Changed by 1~X			
D	By month	Changed by 1~C			
Е	By day	Changed by 1~V			
FFFFF	Letter	Vendor internal use for project code			
G	<mark>L</mark> etter	Vendor internal use for project version No.			
Н	Letters	Vendor internal use for sub-category definition			
II	Le <mark>t</mark> ters	Vendor internal use for WO No.			
າາາາ	S <mark>e</mark> rial No.	Vendor internal use for manufacture sequence code of product			



TEL: +886-3-456-6101 FAX: +886-3-456-6102 32087桃園縣中壢市中北路二段445號8F

電話	:	+886-3-456-	6101	傳真	:	+886-3-456-6102	

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Dage 15 / 15
Product Planning Dept.	Product Specifications	Total Page	Page 15 / 15

6. 觸控面板圖面 TOUCH PANEL DRAWING

