

訂单位
Department文件名稱
Subject文件編號
Document No.產品企劃部
Product Planning Dept.產品規格書
Product Specifications總頁數
Total Page

Projected Capacitive Touch Panel Product Specification

	<u> </u>
對象客戶 Customer	
產品簡述 Product Description	32 INCH PROJECTED CAPACITIVE TOUCH PANEL
規格書適用級別 Application Level	 □ Preliminary Reference Only. □ Sample Used Only. ■ Mass-Production Used.
申請日期 Apply Date	2013-05-03
規格書版次別 Spec. Version	3.0
產品型號 Part Number	MT9D320C66101
	客戶確認
	Approved By Customer
客戶料號 Customer Part No.	
審核人員 Checked By	
核准人員 Approved By	

核准窗口	審核窗口	制定窗口
Approved By	Checked By	Prepared By
David Mi	Jeffrey Chou/Milton Hong	Debby Chen



32087 桃園縣中壢市中北路二段四四五號八樓 8F., No.455, Sec. 2, Zhongbei Rd., Zhongli City, Tao-Yuan County 32087, Taiwan (R.O.C.)

TEL: 886-3-456-6101 FAX: 886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 2 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 2 / 14

目 錄

TABLE OF CONTENTS





32087 桃園縣中壢市中北路二段四四五號八樓 8F., No.455, Sec. 2, Zhongbei Rd., Zhongli City, Tao-Yuan County 32087, Taiwan (R.O.C.) TEL: 886-3-456-6101 FAX: 886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 3 / 14
Product Planning Dept.	Product Specifications	Total Page	

修正履歷 REVISION HISTORY

項次	版次	修正日期	摘要敘述	頁數
Item	Version	Date	Description	Page
1	2.0	2012-10-13	1.Modify package	05
2	3.0	2013-04-30	1.Updated logo.	1~14



TEL: 886-3-456-6101 FAX: 886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 4 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 4 / 14

1. 一般說明 GENERAL DESCRIPTION

1.1 產品摘要 OVERVIEW

這是一款採用 USB 介面並支援 WIN7/8 作業系統已達到可以多指觸控作業的投射式電容觸控面板。

It is a Projected Capacitive Touch Panel with USB interface to support and compatible with WIN7/8 O/S system for multi-touch application.

1.2 產品特徵 FEATURES

·		
項次	規格	
ITEMS	SPECIFICATIONS	
面板尺寸	32 inch	
Panel Size	52 likil	
產品結構	Glass/Glass (ITO glass with Chemical enhanced)	
Structures	Glass/Glass (110 glass with Cheffical enhanced)	
總厚度值	$3.8 \pm 0.2 \text{ mm}$	
Total Thickness	(Cover_1.8 mm & Sensor_1.8 mm)	
作業條件	-10°C ~ +60°C at Min 20% to Max 90% RH	
Operation Conditions	110 C = +00 C at Will 20% to Wax 90% Kil	
儲存條件	-15°C ~ +65°C at Min 10% to Max 90% RH	
Storage Conditions	-13 C 2 +03 C at Will 10% to Wax 90% KII	
静電防護等級	Contact: ±4KV, 3times/1point, 1time/1sec, Total 3points.	
ElectroStatic Discharge (Non-Operation)	Air: ±8KV, 3times/1point, 1time/1sec, Total 3points.	

備註1:為確保觸控模組可有效發揮其功能,請務必於作業時將控制器作有效的接地動作。

Note 1: In order to make a touch panel operate normally, please make sure that the host device is grounded.

備註 2:觸控面板必須藉由雙面膠帶或其他具有黏性之材料將其與 TFT-LCD 模組作組裝貼合作業,並將觸控面板的控制 器反折固定於 TFT-LCD 模組的下鐵框或其他系統機構件上並加以接地;當執行抗靜電防護測試時,允收標準為當沒有外 在靜電衝擊時、觸控面板不可有功能性與外觀性的失效或損傷;但是當有靜電衝擊時,若觸控面板有跳動等非規則性之 功能性變化時,這種現象是被允許與接受的。

Note 2: The touch panel must be assembled with LCD panel by VHB or other materials, the control board also be fixed on LCM bezel or other mechanical parts of the system and then be grounded; In ESD test, the function and appearance should be available when electrostatic charge. It is acceptable that the display flicker when electrostatic discharge.

- 備註 3:假設觸控模組沒有被有效的執行接地動作時,觸控面板可能會有功能性受損或不穩定等現象發生。
- Note 3: The touch panel may be damaged functionally or unstable if the panel does not be grounded through your system to earth.
- 備註 4:為確保觸控模組可有效發揮其功能,電源供應器必須符合 IEC 62684 規範。
- Note 4: In order to make a touch panel operate normally, power supply or power adapter have to conform to IEC 62684.



TEL: 886-3-456-6101 FAX: 886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 5 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 3 / 14

1.3 通用規格 GENERAL SPECIFICATIONS

項次	規格	備註
ITEMS	SPECIFICATIONS	NOTE
輸入方式	Eingen en Con Strilve	
Input Method	Finger or Cap. Stylus	
精確度	Within 2.5mm each target	
Accuracy	& 10% Jitter limit on moving	Based o <mark>n WI</mark> N7 definition ppi(Pixel p <mark>er</mark> inch)
解析度	25 (215)	
Resolution	25ppi (Min.)	
玻璃穿透率	00 + 20/	
Transparency	$90\pm2\%$	D. D. W. C. L 550
玻璃霧度值	20/ (Marrianna)	By BYK-Gardner at 550nm.
Haze	3% (Maximum)	

備註 1:上表中所列之光學特性數值的量測是採用檢測儀器(BYK-Gardner)在波長 550nm 的條件測得。

Note 1: The optical characteristics listed as above are measured by BYK-Gardner instrument at 550nm wavelength.

1.4 觸控面板規格 TOUCH PANEL SPECIFICATION

The state of the s		
項次 ITEMS	規格 SPECIFICATIONS	
Cover Lens 外觀尺寸 Cover Lens O.D.	781.54 mm * 476.14 mm ± 0.50 mm	
Sensor Glass 外觀尺寸 Sensor Glass O.D.	770.0 mm * 464.6 mm ± 0.50 mm	
Cover Lens 可視區 C/L Visual <mark>A</mark> rea	698.7 mm * 393.3 mm ± 0.50 mm	
FPC 厚度值 FPC Thickness	0.3 mm ± 0.05 mm	
軟板長度值 Tail Length	X axis → 60 mm ± 0.2 mm * 90 mm ± 1 mm Y axis → 27.5 mm ± 0.1 mm * 90 mm ± 1 mm	



touching tomorrow, today

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 6 / 14
Product Planning Dept.	Product Specifications	Total Page	Page 6 / 14


可靠度測試報告與規範 RELIABILITY TEST REPORT AND SPECIFICATIONS

2.1 機械特性 MECHANICAL CHARACTERISTICS

項次		測試條件	允收條件	
ITEMS		CONDITIONS	PASS CRITERIA	
	落球測試	227g ± 2g	No damage at each cycle drop 5points and	
	Ball Drop Test	40cm	each point drop 1time only.	
面板部分	硬度測試	Pencil: 7H	Hordroom 711	
Panel	Hardness	Pressure: 0.5N/45°	Hardness ≥ 7H	
	翹曲度	Dry Cogo	Warpage ≤ Length * 0.1%	
	Warpage	By Cage	Unit : mm	
FPC	剝離測試方向	90°		
可靠度測試	Direction of peeling off	90	Strength ≥ 500gf/cm	
FPC	拉力測試速度	50mm/min	Suengui 2 300gi/ciii	
Reliability	Speed of Pulling out	SOHIII/MIN		

備註1:鋼球落下測試示意圖如下附圖所示。


Note 1: The ball drop test illustration is showed as follow.



備註 2:玻璃硬度測試依循 JIS K-5400 系列標準規範手法;相關測試示意圖如下附圖所示。

Note 2: The hardness test follows up the JIS K-5400 serials industry standard and the test illustration is showed as below.






備註 3:FPC 的軟板剝離強度測試依循 ASTM D903/ASTM D3807 系列標準規範手法;測試示意圖如下附圖所示。

Note 3: The FPC peeling strength test illustration is showed as below, and the test method follows the standard of ASTM D903 / ASTM D3807.





訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 7 / 14
Product Planning Dept.	Product Specifications	Total Page	



2.2 可靠度規格 RELIABILITY SPECIFICATIONS

環境測試條件列表如下所示。

Environment test conditions are listed as follows.

項次	規格		
ITEMS	SPECIFICATIONS		
高溫高濕測試	The product should be allowed to stand at 60±2°C with 90% RH for 240hrs un-load		
Temperature Cycling	condition and allowed to be normalized for 4hrs.		
冷熱衝擊測試	The product should be allowed to stand at -40°C to +85°C for 30min/cycle with		
Thermal Shock	totally 50 cycles and allowed to be normalized for 4hrs.		
高溫儲存測試	The sample should be allowed to stand at +85°C for 240hrs un-load condition and		
High Temp. Storage	allowed to be normalized for 4hrs.		
低溫儲存測試	The sample should be allowed to stand at -40°C for 240hrs un-load condition and		
Low Temp. Storage	allowed to be normalized for 4hrs.		



touching tomorrow, today

32087 桃園縣中壢市中北路二段四四五號八樓 8F., No.455, Sec. 2, Zhongbei Rd., Zhongli City, Tao-Yuan County 32087, Taiwan (R.O.C.)

TEL: 886-3-456-6101 FAX: 886-3-456-6102

訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 8 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 8 / 14

3. 外觀檢驗 APPEARANCE AND COSMETIC INSPECTION

3.1 檢驗環境參數 INSPECTION ENVIRONMENT CONDITIONS

I. 觸控面板的目視檢查作業必須在至少無塵室等級為 10,000 的環境下執行。

The touch panel has to be inspected at a clean room of at least class 10,000.

Ⅱ. 觸控面板的目視檢查環境設定值必須被控制溫度在 15℃到 25℃以及濕度在 25%到 75%之間。

The visual inspection environment should be set at 15 to 25 degree C and 25% to 75% humidity.

III. 觸控面板的外觀目視檢查之環境照度須設定在800~1000Lux的日光燈光源下。

The illumination of the appearance inspection should be 800~1000Lux with fluorescent reflection light source.

Ⅳ. 觸控面板的目視檢查須在人眼裸視基礎下,並且觸控面板到人眼的目檢距離須至少超過35公分。

The visual inspection should be kept the distance 35cm or more between the touch panel and the raw eyes of inspectors.

V. 觸控面板的裸眼目視檢查角度須以 45 度正負 10 度的角度作業。

The viewing angle should be 45±10 degree with an inspector's raw eyes when visual inspection.

VI. 外觀目視檢查時間建議為 50 秒正負 10 秒鐘的時間。


Visual inspection time is 50±10 second per one's that we are recommended.

VII. 髒污不良缺陷依據 25%灰度之點規進行判定。

The dirty defect should be judged with the 25% of contrast film in the point rule.

VIII. 目視檢查示意圖如下附圖所示。

The visual inspection illustration is showed as below.





touching tomorrow, today

訂單位 Department	文件名稱 Subject	文件編號 Document No.	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 9 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 7/ 14

3.2 目視檢驗規範 COSMETIC SPECIFICATIONS

5	小觀 不良定義	規格	判定
		W(寬度) / L(長度), N(數量)	判定
	刮傷/擦痕	W≦0.1mm , L≤20mm	忽略
線狀不良	Scratch/Scrub	0.1mm <w≤0.3mm l≤20mm,="" n≤10<="" td=""><td>PASS</td></w≤0.3mm>	PASS
Linear Defects		W>0.3mm · L>20mm	NG
刮傷/擦痕/纖維/毛		W ≦ 0.2mm , L ≤ 20mm	忽略
絮/雜質	纖維/毛絮/雜質 Fiber/Particle	0.2mm <w≤0.4mm l≤20mm,="" n≤10,兩間<br="">距離≥5mm</w≤0.4mm>	PASS
		W>0.4mm L>20mm	NG
		(W+ L)/2=D(直徑),N(數量)	判定
	可視區域	D≦0.2mm	忽略
	Active Area	0.2mm < D ≦ 0.6mm , N <u>≦ 10</u> , 兩間距離 ≧ 5mm	PASS
點狀不良		D>0.6mm	NG
Dot Defects		D≦0.4mm	忽略
氣泡/雜質/白斑/黑	印刷區域	0.4mm <d≦0.6mm,n≨10,兩間距離≥5mm< td=""><td>PASS</td></d≦0.6mm,n≨10,兩間距離≥5mm<>	PASS
斑/凹洞/刻痕/槽口	Printing Area	0.6mm <d≤0.8mm,n≤10,兩間距離≥5mm< td=""><td>PASS</td></d≤0.8mm,n≤10,兩間距離≥5mm<>	PASS
		D>0.8mm	NG
	(Icon、攝像孔、圖示)氣泡	不允許	NG
	針孔(CG 碳點不允許,只針	Judged only from the front of TP	N/A
	對 BM,SG 忽略	≤ 0. <mark>3m</mark> m, Ignored	忽略
	Pine Ho <mark>le</mark>	D>0.3mm	NG
		黑框區域可接受:最高點至最低點距離	D 4 0 0
	NEW Cold beauty	≦0.2mm	PASS
印刷不良	漏光 Light Leakage	Logo/icon 區域可接受:最高點至最低點距離	DACC
Printing Defects		≦0.1mm(≦圖形本身的 1/4)	PASS
	+点冰	Cover 掉漆,不得有, Sensor 不計	NG
	掉漆	在 VMI 站可補漆	PASS
	LOGO/OSD/ICON 顏色	依據 limit Sample 實物比對	比對不合格-NG
	印刷色差	Be followed by customer's AI drawing and	比對不会物 NC
	Color Shift	"PANTO" or checked by golden sample	比對不合格-NG
切割/研磨 不良 切割		N/A	N/A
Cutting/Attrition Defects	研磨	研磨不完全	NG
其他不良	FPC(含金手指處)	死折&破損&殘膠&髒汙	NG




32087 桃園縣中壢市中北路二段四四五號八樓 8F., No.455, Sec. 2, Zhongbei Rd., Zhongli City, Tao-Yuan County 32087, Taiwan (R.O.C.) TEL: 886-3-456-6101 FAX: 886-3-456-6102

toderning tomorrow, today			
訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 10 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 10 / 14

Others Defects	玻璃裂痕	不得有	NG
	破損不良	X:長,Y:寬,Z:高,N(數量),T(玻璃厚度)	判定
	角落破損	Cover:不允許	PASS
	X	Sensor: $ X \! \leq \! 3.0 \text{mm} , Y \! \leq \! 3.0 \text{mm} , Z \! \leq \! T/2 \text{mm} $	PASS
	邊緣破損	Cover:不允許	PASS
	3	Sensor: X≦3.0mm,Y≦3.0mm,Z≦ T/ 2 mm 各邊允收 N≦3,兩間距離≧10mm	PASS
外觀造	5型ID Appearance	All dimensions by procedures via mechanical must be followed by customer's drawing definition	







訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 11 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 11 / 14

4. 預防措施 PRECAUTIONS

項目	說明
ITEM	EXPLANATION
	1. 觸控面板必須被儲存放置在一如規格書所建議的有從事環境溫度與濕度控制的區域內。
64 t	A touch panel should be stored under the environment temperature and humidity controlled as
儲存	suggested.
Storage	2. 不可將觸控面板直接曝曬在陽光下。
	Do not store a touch panel in direct sunlight.
	1. 觸控面板要自包裝箱中取出時,請務必特別注意該包裝箱外的紅色箭頭符號是否朝上。
	Unpack the carton with the printed red arrow pointing up.
取放	2. 無論任何時候都必須以拿取觸控面板本體為優先。
Handling	Hold a touch panel body instead of the FPC/COF all the time.
Transmig	3. 當 Sensor Glass 的保護膜被移除而準備從事組裝作業時,務必要避免 Sensor Glass 受到外在因素
	的汙染。
	Avoid that the surface of the sensor glass is polluted after removing the protect film when assembly.
	1. 若要清潔觸控面板,請盡量避免使用諸如強酸或強鹼之類的任何化學溶劑。
清潔	Prevent using any kind of the chemical solvent, acidic or alkali solution when cleaning.
Cleaning	2. 若要清潔觸控面板,我們建議使用中性的清潔劑或異丙醇和酒精等等。
	Neutral detergent or isopropyl alcohol was suggested if the panel is cleaned.
	1. 觸控面板在組裝時,請不要過度施力導致玻璃表面發生諸如變形或扭曲等形變現象的發生。
	Do not apply rough force such as bending or twisting to the touch panel during assembly.
	2. 對於 FPC 或 COF 的作業時,過度的拉力或繃緊作業是必須被禁止與避免的。
組裝	Excessive force or strain to the panel or FPC/COF is prohibited.
Assembly	3. 請在觸控面板與 TFT-LCD 面板的中間間隙處選用適合的雙面膠帶或是具有黏性的泡棉加以阻
_	絕外在水份與污染源的干擾。
	Past VHB tape or sponge with adhesive on the gap between a touch panel and a LCD module to
	segregate water and dust contamination.
	1. 觸控面板必須在穩定的環境狀況下被使用,環境狀態的突然急遽變化有可能會導致觸控面板的
操作	機能性失效的發生。
Operation	The panel must be operated in a steady environment, the abrupt change of the environment conditions
	may cause the malfunction of the panel.





訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 12 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 12 / 14

項目		說明
ITEM		EXPLANATION
	2.	為確保觸控面板的功能得以穩定有效的發揮呈現,請務必確認系統的接地迴路與電源供應器的
		接地迴路被正確的銜接與執行(與大地作共地的接地迴路是最佳的設計)。
		In order to guarantee all functions of a touch panel stable, please make sure that system is grounded or
操作		a power adapter is connected correctly to ground loop (Connection to earth ground is suggested).
Operation	3.	觸控面板在操作的過程中,請勿任意插拔觸控面板與系統端的界面連接器。
		Do not pull the interface connector in or out while the touch panel is operating.
	4.	觸控面板在操作的過程中,請務必禁止與避免使用任何尖銳或硬質物體去敲擊碰觸。
		Any sharp edged or hard objects are interdiction to hitting when touch panel operation.
	1.	本產品滿足 ROHS 的規範要求。
		The product meets the specification requirement of the ROHS standard criteria.
	2.	在正常的操作條件基礎下提供 12 個月的觸控面板保固服務。
		Vendor will provide 12 months product guarantee under normal operation conditions.
	3.	假設觸控面板將被使用於諸如相對高溫,高濕度,高海拔或是長時間操作等較為嚴峻的操作條
		件時,中心的建議請事先諮詢產品應用工程人員並取得相關意見;否則關於產品的可靠度與功
		能是無法被有效的確保。
		If the panel will be used in extreme conditions such as high temperature, high humidity, high altitude
		or long operation time etc., It is strongly recommended to contact vendor for field application
其他		engineer's advice. Otherwise, Its reliability and function may not be guaranteed.
Others	4.	在觸控模組的單體下,請禁止與避免有任何高電壓或靜電衝擊等外在因素被加諸在模組上。
Outers		Avoid high voltage and/or static charge being applied to touch module.
	5.	保持觸控面板的潔淨度並避免任何具有黏性的物質粘附在觸控面板的表面上。
		Keep the panel surface clean. Prevent any kind of adhesive applied on the surface.
	6.	當操作觸控面板時,應避免有金屬或導電物質放置在面板上。
		To avoid the metal or any kind of the electric conduction materials on the touch screen when you are
		handling.
	7.	觸控面板是藉由人體接觸操作,若有任何非導體被應用於該面板時,可能會出現觸控面板的機
		能失效。
		Any kind of the non-electric conductor may cause the malfunction when that applied due to touch
		screen is sensing by human body.





,			
訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 13 / 14
Product Planning Dept.	Product Specifications	Total Page	1 age 13 / 14

5. 標籤釋義 PRODUCT LABEL EXPLANATION

5.1 條碼定義 BARCODE DEFINITION

5.1.1 觸控面板料號編碼原則 Coding rule for touch screen part number used

Serial ID: <u>AA-B-C-DDD-E-F-G-H-II</u>

CODE	MEANING	DESCRIPTION	
AA	MT	Vendor internal use for account code	
В	Number	Vendor internal use for material level classification	
С	Letter	Vendor internal use for sub-category definition	
DDD	Number	Vendor internal use for touch screen size definition	
Е	Number & Letter	Vendor internal use for P-CAP double level only	
F	Number	Vendor internal use for cover lens thickness definition	
G	Number	Vendor internal use for touch sensor thickness definition	
Н	Number & Letter	Vendor internal us <mark>e for cover le</mark> ns color/hole definition	
II	Number	Vendor interna <mark>l us</mark> e for sequence code of product	

5.1.2 生產序號編碼原則 Coding rule for manufacturing serial used

Serial ID: $\underline{A}-\underline{B}-\underline{C}-\underline{D}-\underline{E}-\underline{FFFFF}-\underline{G}-\underline{H}-\underline{II}-\underline{JJJJ}$

CODE	MEANING	DESCRIPTION	
А	Letter	Vendor internal use for production level classification	
В	Letter	Vendor internal use for manufacture side classification	
С	By year Changed by 1~X		
D	By month	Changed by 1~C	
Е	By day	Ch <mark>a</mark> nged by 1~V	
FFEFF	Lett <mark>e</mark> r	Vendor internal use for project code	
G	Letter	Vendor internal use for project version No.	
Н	Letters	Vendor internal use for sub-category definition	
11	Letter <mark>s</mark>	Vendor internal use for WO No.	
וווו	<mark>Serial</mark> No.	Vendor internal use for manufacture sequence code of product	



訂單位	文件名稱	文件編號	
Department	Subject	Document No.	
產品企劃部	產品規格書	總頁數	Page 14 / 14
Product Planning Dept.	Product Specifications	Total Page	

6. 觸控面板圖面 TOUCH PANEL DRAWING

